



47281 Bayside Pkwy, Fremont, CA 94538 (877) 797-4743

PRODUCT TERMINATION NOTIFICATION (AMERICAS)

PTN: PTN-17

Date: September 15, 2022

Subject: Product End-Of-Life Notification for Customers

To: Enphase End Users, Installers, Online Sales, Distributors, OEMs, Fleet Partners, Existing ClipperCreek Customers and Partners, Enphase Sales Teams

Change Type: Major

Description of Change:

This serves as a formal notification of our decision to End of Life the ClipperCreek SKUs listed below in this document. These are EV Chargers and Charger + Add-On combinations that will no longer be orderable. All SKUs that remain orderable from Enphase are also listed in this document. This End-of-Life decision on these products was made as part of Enphase's on-going product lifecycle management process. The table below provides replacement SKUs to fulfil your requirements after the discontinuation of these products. The SKU descriptions highlight the specific changes in bold text for your quick reference. The replacement SKUs are competitively priced.

This document contains 3 sections:

1. Summary of Major Changes
2. End of Life for SKUs with a Last Time Buy of October 15, 2022
3. SKUs that will Remain Orderable

Section 1: Summary of Major Changes

Terminating all SKUs that use the standard charging cables and replacing them with upgraded ruggedized cables.

Terminating all SKUs that use 8 Wire COSMOS and replacing with 15 Wire COSMOS.

Terminating HCS-Dual SKUs that use NEMA 6-50 Plugs and replacing with NEMA 14-50P.

Terminating SKUs that use 25% and 50% jumpers and replacing with standard COSMOS set to default 100% (no jumpers).

Terminating SKUs that used 4-position ground blocks and replacing with standard 3-position ground block SKUs.

Terminating all HCS-50 SKUs that include COSMOS and replacing with HCS-60R or HCS-40R SKUs that include COSMOS.

Section 2: End of Life for SKUs with a Last Time Buy of October 15, 2022

Charger Family	End Of Life SKU*	SKU Description	Replacement SKU*	Replacement SKU Description
HCS-20	HCS-20-C13-L25-141	16A/16A/08A/08A charging, 240VAC, 10AWG service, 25' J1772 connector 10AWG,	HCS-40R-C17-L25-A141-170	32A/24A/16A/08A charging, 240VAC, 10AWG service, 25' 10AWG ruggedized J1772 connector, with Cosmos with conduit (15 wire interface cable)
HCS-20	HCS-20-C13-L25-A140-141	16A/16A/08A/08A charging, 240VAC, 10AWG service, 25' J1772 connector 10AWG, with Cosmos with conduit (8 wire interface cable)	HCS-40R-C17-L25-A141-170	32A/24A/16A/08A charging, 240VAC, 10AWG service, 25' 10AWG ruggedized J1772 connector, with Cosmos with conduit (15 wire interface cable)
HCS-30	HCS-30-C13-L25-143	24A charging, 240VAC, 10AWG service, 25' J1772 connector 10AWG, ClipperCreek	HCS-40R-C17-L25-170	32A/24A/16A/08A charging, 240VAC, 10AWG service, 25' 10AWG ruggedized J1772 connector
HCS-40	HCS-40R-C17-L25-A140-170	32A/24A/16A/08A charging, 240VAC, 10AWG service, 25' J1772 ruggedized connector 10AWG, with Cosmos with conduit (8 wire interface cable)	HCS-40R-C17-L25-A141-170	32A/24A/16A/08A charging, 240VAC, 10AWG service, 25' 10AWG ruggedized J1772 connector, with Cosmos with conduit (15 wire interface cable)
HCS-40	HCS-D40PR-C29-P5-L25-270	32A or 2x16A charging, 240VAC, 2x25' 10AWG J1772 ruggedized connector, NEMA 6-50 Plug, dual output	HCS-D40PR-C29-P6-L25-269	32A or 2x16A charging, 240VAC, 2x25' 10AWG ruggedized J1772 connector, NEMA 14-50 Plug, dual output
HCS-40	HCS-D40-C13-L25-113	32A or 2x16A charging, 240VAC, 2x25' J1772 connector 10AWG, 08AWG conduit, dual output	HCS-D40R-C17-L25-121	32A or 2x16A charging, 240VAC, 2x25' 10AWG ruggedized J1772 connector, 08AWG conduit, dual output
HCS-40	HCS-40R-C17-L25-A132-170	32A/24A/16A/08A charging, 240VAC, 10AWG service, 25' J1772 ruggedized connector 10AWG, with Cosmos with no conduit (25% default charge rate)	HCS-40R-C17-L25-A130-170	32A/24A/16A/08A charging, 240VAC, 10AWG service, 25' 10AWG ruggedized J1772 connector, with Cosmos with no conduit (100% default charge rate)

HCS-40	HCS-40R-C17-L25-A133-170	32A/24A/16A/08A charging, 240VAC, 10AWG service, 25' J1772 ruggedized connector 10AWG, with Cosmos with no conduit (50% default charge rate)	HCS-40R-C17-L25-A130-170	32A/24A/16A/08A charging, 240VAC, 10AWG service, 25' 10AWG ruggedized J1772 connector, with Cosmos with no conduit (100% default charge rate)
HCS-40	HCS-40R-C17-L18-A140-178	32A/24A/16A/08A charging, 240VAC, 10AWG service, 18' J1772 ruggedized connector 10AWG, with Cosmos (8 wire interface cable) , ClipperCreek	HCS-40R-C17-L18-A141-178	32A/24A/16A/08A charging, 240VAC, 10AWG service, 18' 10AWG J1772 ruggedized connector, with Cosmos with conduit (15 wire interface cable)
HCS-40	HCS-40R-C29-P6-L25-276	32A/24A/16A/08A charging, 240VAC, 25' 10AWG ruggedized J1772 connector, NEMA 14-50 Plug, 4-position ground block	HCS-40R-C17-P6-L25-196	32A/24A/16A/08A charging, 240VAC, NEMA 14-50 Plug, 25' 10AWG ruggedized J1772 connector
HCS-40	HCS-40-C13-L25-A087-144	32A/24A/16A/08A charging, 240VAC, 10AWG service, 25' J1772 connector 10AWG, with Charge Guard	HCS-40R-C17-L25-A087-170	32A/24A/16A/08A charging, 240VAC, 10AWG service, 25' 10AWG ruggedized J1772 connector, with Charge Guard
HCS-40	HCS-40-C13-L18-157	32A/24A/16A/08A charging, 240VAC, 10AWG service, 18' J1772 connector 10AWG	HCS-40R-C17-L18-178	32A/24A/16A/08A charging, 240VAC, 10AWG service, 18' 10AWG ruggedized J1772 connector
HCS-40	HCS-40-C13-P5-L25-187	32A/24A/16A/08A charging, 240VAC, NEMA 6-50P, 25' J1772 connector 10AWG	HCS-40R-C17-P5-L25-195	32A/24A/16A/08A charging, 240VAC, NEMA 6-50 Plug, 25' 10AWG ruggedized J1772 connector
HCS-40	HCS-40-C13-L25-A157-144	32A/24A/16A/08A charging, 240VAC, 10AWG service, 25' J1772 connector 10AWG, with Cosmos + Charge Guard	HCS-40R-C17-L25-A157-170	32A/24A/16A/08A charging, 240VAC, 10AWG service, 25' 10AWG ruggedized J1772 connector, with Cosmos + Charge Guard
HCS-40	HCS-40-C13-L25-A141-144	32A/24A/16A/08A charging, 240VAC, 10AWG service, 25' J1772 connector 10AWG, with Cosmos with conduit (8 wire interface cable)	HCS-40R-C17-L25-A141-170	32A/24A/16A/08A charging, 240VAC, 10AWG service, 25' 10AWG ruggedized J1772 connector, with Cosmos with conduit (15 wire interface cable)
HCS-40	HCS-D40P-C13-P6-L25-136	32A or 2x16A charging, 240VAC, 2x25' J1772 connector 10AWG, NEMA 14-50P, ClipperCreek, dual output	HCS-D40PR-C29-P6-L25-269	32A or 2x16A charging, 240VAC, 2x25' 10AWG J1772 ruggedized connector, NEMA 14-50 Plug, dual output
HCS-40	HCS-D40P-C13-P5-L25-137	32A or 2x16A charging, 240VAC, 2x25' J1772 connector 10AWG, NEMA 6-50P , dual output	HCS-D40PR-C29-P6-L25-269	32A or 2x16A charging, 240VAC, 2x25' 10AWG ruggedized J1772 connector, NEMA 14-50P , dual output
HCS-40	HCS-D40-C13-L18-120	32A or 2x16A charging, 240VAC, 2x18' J1772 connector 10AWG, 08AWG conduit, dual output	HCS-D40R-C17-L18-122	32A or 2x16A charging, 240VAC, 2x18' 10AWG ruggedized J1772 connector, 08AWG conduit, dual output
HCS-40	HCS-40-C13-L25-A130-144	32A/24A/16A/08A charging, 240VAC, 10AWG service, 25' J1772 connector 10AWG, Cosmos with no conduit	HCS-40R-C17-L25-A130-170	32A/24A/16A/08A charging, 240VAC, 10AWG service, 25' 10AWG ruggedized J1772 connector, with Cosmos with no conduit

HCS-40	HCS-40-C13-L18-A140-157	32A/24A/16A/08A charging, 240VAC, 10AWG service, 18' J1772 connector 10AWG, with Cosmos with conduit (8 wire interface cable)	HCS-40R-C17-L25-A141-170	32A/24A/16A/08A charging, 240VAC, 10AWG service, 25' 10AWG J1772 connector, with Cosmos with conduit (15 wire interface cable)
HCS-40	HCS-40-C13-P6-L25-192	32A/24A/16A/08A charging, 240VAC, NEMA 14-50P, 25' J1772 connector 10AWG, 4-position ground block	HCS-40-C13-P6-L25-190	32A/24A/16A/08A charging, 240VAC, NEMA 14-50 Plug, 25' 10AWG J1772 connector
HCS-40	HCS-40-C13-L25-A090-144	32A/24A/16A/08A charging, 240VAC, 10AWG service, 25' J1772 connector 10AWG, with Charge Guard EX	HCS-40R-C17-L25-A141-170	32A/24A/16A/08A charging, 240VAC, 10AWG service, 25' 10AWG J1772 connector, with Cosmos with conduit (15 wire interface cable)
HCS-40	HCS-40R-C17-L25-241	32A/24A/16A/08A charging, 240VAC, 10AWG service, 25' J1772 connector 10AWG ruggedized cable, 4-position ground block	HCS-40R-C17-L25-170	32A/24A/16A/08A charging, 240VAC, 10AWG service, 25' 10AWG J1772 ruggedized connector
HCS-40	HCS-40R-C17-L25-A130-241	32A/24A/16A/08A charging, 240VAC, 10AWG service, 25' J1772 connector 10AWG ruggedized cable, 4-position ground block , with Cosmos with no conduit	HCS-40R-C17-L25-A130-170	32A/24A/16A/08A charging, 240VAC, 10AWG service, 25' 10AWG ruggedized J1772 connector, with Cosmos with no conduit
HCS-40	HCS-40R-C17-L25-A133-241	32A/24A/16A/08A charging, 240VAC, 10AWG service, 25' J1772 connector 10AWG ruggedized cable, 4-position ground block with Cosmos with no conduit (50% default charge rate)	HCS-40R-C17-L25-A130-170	32A/24A/16A/08A charging, 240VAC, 10AWG service, 25' 10AWG ruggedized J1772 connector, with Cosmos with no conduit (100% default charge rate)
HCS-40	HCS-40R-C17-P5-L25-A130-195	32A/24A/16A/08A charging, 240VAC, NEMA 6-50 Plug , 25' J1772 ruggedized connector 10AWG cable, with Cosmos with no conduit	HCS-40R-C17-L25-A130-170	32A/24A/16A/08A charging, 240VAC, 10AWG service , 25' 10AWG ruggedized J1772 connector, with Cosmos with no conduit
HCS-40	HCS-40R-C17-L25-A132-241	32A/24A/16A/08A charging, 240VAC, 10AWG service, 25' J1772 connector 10AWG ruggedized cable, 4-position ground block with Cosmos with no conduit (25% default charge rate)	HCS-40R-C17-L25-A130-170	32A/24A/16A/08A charging, 240VAC, 10AWG service, 25' 10AWG ruggedized J1772 connector, with Cosmos with no conduit (100% default charge rate)
HCS-40	HCS-40R-C17-L25-A132-242	32A/24A/16A/08A charging, 240VAC, 10AWG service, 25' J1772 connector 10AWG ruggedized cable, 4-position ground block , with Cosmos with no conduit (25% default charge rate)	HCS-40R-C17-L25-A130-170	32A/24A/16A/08A charging, 240VAC, 10AWG service, 25' 10AWG ruggedized J1772 connector, with Cosmos with no conduit (100% default charge rate)

HCS-50	HCS-50R-C29-L25-A140-280	40A/30A/20A/10A charging, 240VAC, 8AWG service, 25' 10AWG J1772 connector, with Cosmos with conduit (8 wire interface cable)	HCS-60R-C22-L25-A141-179	48A/36A/24A/12A charging, 240VAC, 8AWG service, 25' 6AWG ruggedized J1772 connector, with Cosmos with conduit (15 wire interface cable)
			HCS-40R-C17-L25-A141-170	32A/24A/16A/08A charging, 240VAC, 10AWG service, 25' 10AWG ruggedized J1772 connector, with Cosmos with conduit (15 wire interface cable)
HCS-50	HCS-D50PR-C29-P5-L25-273	40A or 2x20A charging, 240VAC, 2x25' 10AWG J1772 connector, NEMA 6-50 Plug , dual output	HCS-D50PR-C29-P6-L25-272	40A or 2x20A charging, 240VAC, 2x25' 10AWG J1772 ruggedized connector, NEMA 14-50 Plug , dual output
HCS-50	HCS-D50-C13-L25-114	40A or 2x20A charging, 240VAC, 2x25' J1772 connector 10AWG, 08AWG service, dual output	HCS-D50R-C29-L25-268	40A or 2x20A charging, 240VAC, 2x25' 10AWG ruggedized J1772 connector, 08AWG conduit, dual output
HCS-50	HCS-D50P-C13-P6-L25-221	40A or 2x20A charging, 240VAC, 2x25' J1772 connector 10AWG, NEMA 14-50P, dual output	HCS-D50PR-C29-P6-L25-272	40A or 2x20A charging, 240VAC, 2x25' 10AWG ruggedized J1772 connector, NEMA 14-50 Plug, dual output
HCS-50	HCS-50-C13-P5-L25-188	40A/30A/20A/10A charging, 240VAC, NEMA 6-50P, 25' J1772 connector 10AWG	HCS-50R-C29-P5-L25-282	40A/30A/20A/10A charging, 240VAC, NEMA 6-50 Plug, 25' 10AWG ruggedized J1772 connector
HCS-50	HCS-50-C13-L25-A140-145	40A/30A/20A/10A charging, 240VAC, 8AWG service, 25' J1772 connector 10AWG , with Cosmos with conduit (8 wire interface cable)	HCS-60R-C22-L25-A141-179	48A/36A/24A/12A charging, 240VAC, 8AWG service, 25' 6AWG ruggedized J1772 connector, with Cosmos with conduit (15 wire interface cable)
			HCS-40R-C17-L25-A141-170	32A/24A/16A/08A charging, 240VAC, 10AWG service, 25' 10AWG ruggedized J1772 connector, with Cosmos with conduit (15 wire interface cable)
HCS-50	HCS-D50P-C13-P5-L25-222	40A or 2x20A charging, 240VAC, 2x25' J1772 connector 10AWG, NEMA 6-50 Plug , dual output	HCS-D50PR-C29-P6-L25-272	40A or 2x20A charging, 240VAC, 2x25' 10AWG ruggedized J1772 connector, NEMA 14-50 Plug , dual output
HCS-60	HCS-60R-C22-L25-A140-179	48A/36A/24A/12A charging, 240VAC, 8AWG service, 25' J1772 ruggedized connector 8AWG , with Cosmos with conduit (8 wire interface cable)	HCS-60R-C22-L25-A141-179	48A/36A/24A/12A charging, 240VAC, 8AWG service, 25' 6AWG ruggedized J1772 connector, with Cosmos with conduit (15 wire interface cable)
HCS-60	HCS-60-C16-L25-A141-159	48A/36A/24A/12A charging, 240VAC, 8AWG service, 25' J1772 connector 6AWG, with Cosmos with conduit (15 wire interface cable)	HCS-60R-C22-L25-A141-179	48A/36A/24A/12A charging, 240VAC, 8AWG service, 25' 6AWG ruggedized J1772 connector, with Cosmos with conduit (15 wire interface cable)

HCS-60	HCS-60-C16-L25-A090-159	48A/36A/24A/12A charging, 240VAC, 8AWG service, 25' J1772 connector 6AWG, with ChargeGuard EX	HCS-60R-C22-L25-A141-179	48A/36A/24A/12A charging, 240VAC, 8AWG service, 25' 6AWG ruggedized J1772 connector, with Cosmos with conduit (15 wire interface cable)
HCS-60	HCS-60R-C22-L25-A090-179	48A/36A/24A/12A charging, 240VAC, 8AWG service, 25' Sinbon J1772 connector 8AWG ruggedized cable, with ChargeGuard EX	HCS-60R-C22-L25-A141-179	48A/36A/24A/12A charging, 240VAC, 8AWG service, 25' 6AWG ruggedized J1772 connector, with Cosmos with conduit (15 wire interface cable)
HCS-60	HCS-60R-C22-L18-A140-185	48A/36A/24A/12A charging, 240VAC, 8AWG service , 18' J1772 connector 8AWG ruggedized cable, with Cosmos with conduit (8 wire interface cable)	HCS-60R-C22-L18-A141-185	48A/36A/24A/12A charging, 240VAC, 10AWG service , 18' 10AWG ruggedized J1772 connector, with Cosmos with conduit (15 wire interface cable)
HCS-80	HCS-80R-C22-L25-A140-180	64A/48A/32A/16A charging, 240VAC, 8AWG service, 25' ruggedized J1772 connector 8AWG , with Cosmos with conduit (8 wire interface cable)	HCS-80R-C16-L25-A141-180	64A/48A/32A/16A charging, 240VAC, 8AWG service, 25' 6AWG ruggedized J1772 connector, with Cosmos with conduit (15 wire interface cable)
HCS-80	HCS-80-C16-L25-A140-160	64A/48A/32A/16A charging, 240VAC, 8AWG service, 25' J1772 connector 6AWG, with Cosmos with conduit (8 wire interface cable)	HCS-80R-C16-L25-A141-180	64A/48A/32A/16A charging, 240VAC, 8AWG service, 25' 6AWG ruggedized J1772 connector, with Cosmos with conduit (15 wire interface cable)

Section 3: SKUs that will Remain Orderable

Charger Family	Ordering SKU	Charger Part Number*	Add-On Part Number*	SKU Description
HCS-40	HCS-40-C13-P6-L25-190	0922-00-003	-	32A/24A/16A/08A charging, 240VAC, NEMA 14-50 Plug, 25' 10AWG J1772 connector
HCS-40	HCS-40-C13-L25-144	0918-00-003	-	32A/24A/16A/08A charging, 240VAC, 10AWG service, 25' 10AWG J1772 connector
HCS-40	HCS-40-C13-L25-A140-144	0918-00-003	0900-14-000	32A/24A/16A/08A charging, 240VAC, 10AWG service, 25' 10AWG J1772 connector with Cosmos with conduit (8 wire interface cable)
HCS-40R	HCS-40R-C17-L18-178	0919-02-003	-	32A/24A/16A/08A charging, 240VAC, 10AWG service, 18' 10AWG ruggedized J1772 connector
HCS-40R	HCS-40R-C17-L18-A141-178	0919-02-003	0900-14-001	32A/24A/16A/08A charging, 240VAC, 10AWG service, 18' 10AWG ruggedized J1772 connector, with Cosmos with conduit (15 wire interface cable)
HCS-40R	HCS-D40R-C17-L18-122	0908-02-003	-	32A or 2x16A charging, 240VAC, 2x18' 10AWG ruggedized J1772 connector, 08AWG conduit, dual output

HCS-40R	HCS-40R-C17-P5-L25-195	0922-02-000	-	32A/24A/16A/08A charging, 240VAC, NEMA 6-50 Plug, 25' 10AWG ruggedized J1772 connector
HCS-40R	HCS-40R-C17-P6-L25-196	0922-02-003	-	32A/24A/16A/08A charging, 240VAC, NEMA 14-50 Plug, 25' 10AWG ruggedized J1772 connector
HCS-40R	HCS-D40PR-C29-P6-L25-269	0917-02-000	-	32A or 2x16A charging, 240VAC, 2x25' 10AWG ruggedized J1772 connector, NEMA 14-50 Plug, dual output
HCS-40R	HCS-40R-C17-L25-170	0918-02-003	-	32A/24A/16A/08A charging, 240VAC, 10AWG service, 25' 10AWG ruggedized J1772 connector
HCS-40R	HCS-40R-C17-L25-A087-170	0918-02-003	0900-08-007	32A/24A/16A/08A charging, 240VAC, 10AWG service, 25' 10AWG ruggedized J1772 connector, with Charge Guard
HCS-40R	HCS-40R-C17-L25-A130-170	0918-02-003	0900-13-000	32A/24A/16A/08A charging, 240VAC, 10AWG service, 25' 10AWG ruggedized J1772 connector, with Cosmos with no conduit ¹
HCS-40R	HCS-40R-C17-L25-A141-170	0918-02-003	0900-14-001	32A/24A/16A/08A charging, 240VAC, 10AWG service, 25' 10AWG ruggedized J1772 connector, with Cosmos with conduit (15 wire interface cable)
HCS-40R	HCS-40R-C17-L25-A157-170	0918-02-003	0900-15-007	32A/24A/16A/08A charging, 240VAC, 10AWG service, 25' 10AWG ruggedized J1772 connector, with Cosmos + Charge Guard
HCS-40R	HCS-D40R-C17-L25-121	0908-02-000	-	32A or 2x16A charging, 240VAC, 2x25' 10AWG ruggedized J1772 connector, 08AWG conduit, dual output
HCS-50	HCS-50-C13-P6-L25-191	0922-00-004	-	40A/30A/20A/10A charging, 240VAC, NEMA 14-50 Plug, 25' 10AWG ruggedized J1772 connector
HCS-50	HCS-50-C13-L25-145	0918-00-004	-	40A/30A/20A/10A charging, 240VAC, 8AWG service, 25' 10AWG ruggedized J1772 connector
HCS-50R	HCS-50R-C29-P5-L25-282	0922-02-001	-	40A/30A/20A/10A charging, 240VAC, NEMA 6-50 Plug, 25' 10AWG ruggedized J1772 connector
HCS-50R	HCS-50R-C29-P6-L25-283	0922-02-004	-	40A/30A/20A/10A charging, 240VAC, NEMA 14-50 Plug, 25' 10AWG ruggedized J1772 connector
HCS-50R	HCS-D50PR-C29-P6-L25-272	0917-02-004	-	40A or 2x20A charging, 240VAC, 2x25' 10AWG ruggedized J1772 connector, NEMA 14-50 Plug, dual output
HCS-50R	HCS-50R-C29-L25-280	0918-02-004	-	40A/30A/20A/10A charging, 240VAC, 8AWG service, 25' 10AWG ruggedized J1772 connector
HCS-50R	HCS-D50R-C29-L25-268	0908-02-001	-	40A or 2x20A charging, 240VAC, 2x25' 10AWG ruggedized J1772 connector, 08AWG conduit, dual output
HCS-60	HCS-60-C16-L25-159	0920-00-000	-	48A/36A/24A/12A charging, 240VAC, 8AWG service, 25' 6AWG ruggedized J1772 connector
HCS-60	HCS-60-C16-L25-A140-159	0920-00-000	0900-14-000	48A/36A/24A/12A charging, 240VAC, 8AWG service, 25' 6AWG ruggedized J1772 connector, with Cosmos with conduit (8 wire interface cable)
HCS-60R	HCS-60R-C22-L18-185	0921-01-000	-	48A/36A/24A/12A charging, 240VAC, 8AWG service, 18' ruggedized J1772 connector 8AWG ruggedized cable

HCS-60R	HCS-60R-C22-L18-A141-185	0921-01-000	0900-14-001	48A/36A/24A/12A charging, 240VAC, 10AWG service, 18' 10AWG ruggedized J1772 connector, with Cosmos with conduit (15 wire interface cable)
HCS-60R	HCS-60R-C22-L25-179	0920-02-000	-	48A/36A/24A/12A charging, 240VAC, 8AWG service, 25' 6AWG ruggedized J1772 connector
HCS-60R	HCS-60R-C22-L25-A087-179	0920-01-000	0900-08-007	48A/36A/24A/12A charging, 240VAC, 10AWG service, 25' 10AWG J ruggedized 1772 connector, with Charge Guard
HCS-60R	HCS-60R-C22-L25-A130-179	0920-01-000	0900-13-000	48A/36A/24A/12A charging, 240VAC, 8AWG service, 25' 6AWG ruggedized J1772 connector, with Cosmos with no conduit ¹
HCS-60R	HCS-60R-C22-L25-A141-179	0920-02-000	0900-14-001	48A/36A/24A/12A charging, 240VAC, 8AWG service, 25' 6AWG ruggedized J1772 connector, with Cosmos with conduit (15 wire interface cable)
HCS-80	HCS-80-C16-L25-160	0920-00-001	-	64A/48A/32A/16A charging, 240VAC, 8AWG service, 25' 6AWG ruggedized J1772 connector
HCS-80R	HCS-80R-C22-L25-180	0920-02-001	-	64A/48A/32A/16A charging, 240VAC, 8AWG service, 25' 6AWG ruggedized J1772 connector
HCS-80R	HCS-80R-C22-L18-186	0921-01-001	-	64A/48A/32A/16A charging, 240VAC, 8AWG service, 18' ruggedized J1772 connector 8AWG ruggedized cable
HCS-80R	HCS-80R-C22-L18-A141-186	0921-01-001	0900-14-001	64A/48A/32A/16A charging, 240VAC, 10AWG service, 18' 10AWG ruggedized J1772 connector, with Cosmos with conduit (15 wire interface cable)
HCS-80R	HCS-80R-C22-L25-A087-180	0920-01-001	0900-08-007	64A/48A/32A/16A charging, 240VAC, 10AWG service, 25' 10AWG ruggedized J1772 connector, with Charge Guard
HCS-80R	HCS-80R-C22-L25-A130-180	0920-01-001	0900-13-000	64A/48A/32A/16A charging, 240VAC, 8AWG service, 25' 6AWG ruggedized J1772 connector, with Cosmos with no conduit ¹
HCS-80R	HCS-80R-C16-L25-A141-180	0920-02-001	0900-14-001	64A/48A/32A/16A charging, 240VAC, 8AWG service, 25' 6AWG ruggedized J1772 connector, with Cosmos with conduit (15 wire interface cable)

1. This SKU is only available to customers who have ordered similar SKUs in the past.

*Use the Ordering SKU column when placing all orders. The Charger Part Number and Add-On Part Number column are provided for reference purpose for ClipperCreek customers.

RMA Support:

- A. RMA Support for products being discontinued will use the replacement SKUs as mentioned
- B. End-Of-Life SKU will no longer be shipped out.
- C. Old SKUs will not be shipped out for replacements

Qualification Status:

Replacement products are available to order from Enphase.

Sample Status:

Replacement products are in production today. Please contact your local Sales representative if you need samples.

Approximate Implementation Date:

This change is effective with this notification.

Last Time Buy:

The LTB dates for SKUs in Section 2 are October 15, 2022

Last Time Ship:

The LTS dates for SKUs in Section 2 are January 31, 2023

Anticipated Impact:

None

Response Required:

No response required. Please contact your local sales representative if you need assistance with replacement product. For additional information regarding this PTN, contact your local sales representative or by email to pcn_adm@enphaseenergy.com.

Sincerely,
Enphase PCN Process Manager